



소켓 Socket

규격	L	H
50A	144	110
65A	134	141
75A	156	156
100A	174	190




이경소켓 Reducer Socket

규격	L	H
75×50A	159	156
75×65A	155	156
100×50A	208	190
100×65A	192	190
100×75A	201	190
65×16~50A	144	141
75×16~50A	155	156
100×16~50A	190	156
75×50A	156	159
100×50A	190	208




플랜지소켓 Flange Socket

규격	L	H
50A	107	110
65A	103	141
75A	118	156
100A	137	190




90° 엘보 90° Elbow

규격	L	H
50A	119	110
65A	143	141
75A	141	156
100A	169	190




45° 엘보 45° Elbow

규격	L	H
50A	89	110
65A	93	141
75A	102	156
100A	120	190




22.5° 엘보 22.5° Elbow

규격	L	H
50A	77	110
65A	79	141
75A	88	156
100A	93	190



11.5° 엘보 11.5° Elbow


규격	L	H
65A	79	141
75A	88	156
100A	93	190



티 이 Tee


규격	L	H
50A	238	119
65A	274	137
75A	282	141
100A	350	169

NHP Joint - (50 ~ 100A) 2.png
(800 X 877)





이경티이 Reducer Tee

규격	L	H
75×50A	276	135
75×65A	279	140
100×50A	306	150
100×65A	311	154
100×75A	324	155
65×16~50A	274	137
75×16~50A	279	140
100×16~50A	311	154



플랜지티이 Flange Tee

규격	L	H
75A	230	106
100A	276	166
100A×75A	272	138
75A×50A	246	127
75A×100A	266	152
100A×50A	276	141




캡 CAP

규격	L	H
50A	42	110
65A	52	141
75A	53	156
100A	64	90





레듀서플랜지 Reducer Flange

규격	L	H
65×16~50A	52	141




이경소켓 (100×50A / 75×50A)

규격	L	H
75×50A	156	159
100×50A	190	208



일체형마감캡

규격	L	H
75A	156	139
100A	190	152



신형 중구경 이경캡

규격	L	H
75A×15~40A	156	139
100A×15~40A	190	152

NHP Joint - (50~100A) 4.png
(782 X 687)