





소켓	Socket	
규격	L	H
50A	144	110
65A	134	141
80A	156	156
100A	174	190



롱소켓	Long Socket	
규격	L	H
80A	206	156
100A	236	196





이경소켓	Reducer Socket	
규격	L	H
80×65A	155	156
100×65A	192	190
100×80A	201	190
65×15~50A	144	141
80×15~50A	155	156
100×15~50A	192	156





90° 엘보	90° Elbow	
규격	L	H
50A	119	110
65A	143	141
80A	141	156
100A	169	190


PM Joint - (50 ~ 100A) 1.png
(790 X 822)




45°엘보	45° Elbow	
규격	L	H
50A	89	110
65A	93	141
80A	102	156
100A	120	190



22.5°엘보	22.5° Elbow	
규격	L	H
50A	77	110
65A	79	141
80A	88	156
100A	93	190




티 이	Tee	
규격	L	H
50A	238	119
65A	274	137
80A	282	141
100A	350	169





11.25°엘보	11.25° Elbow	
규격	L	H
65A	79	141
80A	88	156
100A	90	190



PM Joint - (50 ~ 100A) 2.png
(779 X 816)




이경티이	Reducer Tee	
규격	L	H
80×65A	279	140
100×65A	311	154
100×80A	324	155
65×15~50A	274	137
80×15~50A	279	140
100×15~50A	311	154



플렌지소켓	Flange Socket	
규격	L	H
50A	107	110
65A	103	141
80A	118	156
100A	137	190



플렌지티이	Flange Tee	
규격	L	H
80A	230	106
100A	276	166
100A×80A	272	138
80A×50A	246	127
80A×100A	266	152
100A×50A	276	141



리듀서플렌지	Reducer Flange	
규격	L	H
65×15~50A	52	141

PM Joint - (50 ~ 100A) 3.png
(783 X 812)